


## CP-AOCH/60

Active Optical UHD  
Pluggable HDMI Cable

PLENUM RATED



Kramer's AOCH/60 is a state of the art Active Optical HDMI Cable for running 4K UHD HDMI 2.0 signals, 4K@60Hz (4:4:4) UHD, over long distances up to 100 meter (328 ft), in a simple & practical way.

This Hybrid-Fiber Cable HDMI ends can quickly detach, offering a much smaller head that can be run through conduit or other tight spaces with the Included pulling capsule, they are also interchangeable. DVI ends can be purchased separately.

The AOCH/60 cables are thinner, lighter and more flexible than copper or even standard optical cables while providing transparent EDID, HDCP and HDR support without signal attenuation and also provide reduced risk of EMI and RFI interference which provides a perfect solution for critical AV installations that demand the highest signal integrity.

### Features

- Video Resolution – Up to 4K@60Hz 4:4:4
- High Data Transfer Rate – Up to 18Gbps
- Embedded Audio – PCM 8-channel, Dolby Digital True HD and DTS-HD Master Audio
- HDMI support – HDCP 2.2, HDR (High dynamic range), EDID and CEC
- High-quality connectors – 24K gold-plated, corrosion-resistant and best possible connectivity
- Reduced EMI and RFI
- Thin Construction – 3.4mm (0.13") diameter
- Jacket Construction – UL CMP-OF (Plenum)
- RoHS 2011/65/EU compliant
- Varied Selection of Lengths – Available in versions from 10 to 100m (33 to 328ft)


### In the Box

- 1x active Optical UHD HDMI Cable
- 2x HDMI type-D to A adapter
- 2x HDMI-A end locking screw
- 1x USB-A to MicroB cable
- 1x pulling capsule
- 1x User manual

x.v.Color

4K60  
4:4:4  
HDCP 2.2












## CABLE SPECIFICATIONS

AUDIO & VIDEO SPECIFICATIONS	
Video Resolution	Up to 4K@60Hz 4:4:4 across all lengths
Data Rate (max)	Up to 18 Gbps
Supported Color Spaces	RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601
Embedded Audio	Dolby Digital Plus, Dolby TrueHD, DTS-HD Master Audio™, DVD Audio, SA-CD
HDMI Support	HDCP 2.2, HDR, EDID and CEC
PHYSICAL SPECIFICATIONS	
Connector-1 (source end)	Male HDMI type-A 24K gold plated (pluggable) / Male HDMI type D
Connector-2 (display end)	Male HDMI type-A 24K gold plated (pluggable) / Male HDMI type D
Cable Structure	Hybrid Optical Fiber Cable
Fiber Optic <b>A</b>	Multi-mode Fiber
Conductors <b>B</b>	6x28AWG (7/0.127mm)
Outer Sheath Material <b>C</b>	Plenum
Outer Sheath Color	Black
Outer Sheath Diameter	3.4mm
Cable Bending Radius	6mm
Connector Max. Pulling Strength	22lbs/10kg
Max. Compression Load Resistance	500N (50kg, 110lbs)
POWER SPECIFICATIONS	
Power Supply	Connect the supplied USB cable to an external USB power source
Power Consumption	0.75W max
REGULATORY	
Plenum (compliance)	CMP-OF
RoHS	2011/65/ EU

## OUTLINE DIMENSIONS



## Pulling Capsule Dimensions





## ORDERING INFORMATION

### Plenum Rated

MODEL	DESCRIPTION	LENGTH	GROSS WEIGHT
<b>CP-AOCH/60-33</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	33ft/10.00m	0.79lbs/0.36kg
<b>CP-AOCH/60-50</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	50ft/15.20m	1.01lbs/0.46kg
<b>CP-AOCH/60-66</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	66ft/20.00m	1.21lbs/0.55kg
<b>CP-AOCH/60-98</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	98ft/30.00m	1.65lbs/0.75kg
<b>CP-AOCH/60-131</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	131ft/40.00m	2.07lbs/0.94kg
<b>CP-AOCH/60-164</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	164ft/50.00m	2.62lbs/1.18kg
<b>CP-AOCH/60-197</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	197ft/60.00m	3.04lbs/1.38kg
<b>CP-AOCH/60-230</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	230ft/70.00m	3.46lbs/1.57kg
<b>CP-AOCH/60-262</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	262ft/80.00m	3.90lbs/1.77kg
<b>CP-AOCH/60-295</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	295ft/90.00m	4.32lbs/1.96kg
<b>CP-AOCH/60-328</b>	Active Optical UHD Pluggable HDMI Cable – Plenum Rated	328ft/100.00m	4.74lbs/2.15kg

